

## **Safety Data Sheet**

## prepared to UN GHS Revision 3

## 1. Identification of the Substance/Mixture and the Company/Undertaking

1.1 Product Identifier 100-HF-C Revision Date: 05/23/2018

Product Name: Flowfresh HF Filler C Supercedes Date: 04/18/2018

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Component of multicomponent industrial coatings - Industrial use.

## 1.3 Details of the supplier of the safety data sheet

Manufacturer: Flowcrete North America, Inc.

616 Spring Hill Drive, Suite 100

Spring, TX 77386 americas@flowcrete.com www.flowcreteamericas.com

Tel: (936) 539-6700 Fax: (936) 539-6701

Datasheet Produced by: Mims, Robert - americas@flowcrete.com

**1.4 Emergency telephone number:** CHEMTREC 1-800-424-9300 (Inside US)

CHEMTREC +1 703 5273887 (Outside ÚS)

## 2. Hazard Identification

## 2.1 Classification of the substance or mixture

Carcinogenicity, category 1A STOT, single exposure, category 1 STOT, single exposure, category 3, RTI Skin Corrosion, category 1 Skin Sensitizer, category 1

## 2.2 Label elements

## Symbol(s) of Product



## Signal Word

Danger

## Named Chemicals on Label

calcium hydroxide, quartz (silicon dioxide), portland cement

## **HAZARD STATEMENTS**

Skin Corrosion, category 1	H314-1	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
STOT, single exposure, category 3, RTI	H335	May cause respiratory irritation.
Carcinogenicity, category 1A	H350-1A	May cause cancer.
STOT, single exposure, category 1	H370	Causes damage to organs.
PRECAUTION PHRASES		
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P284	Wear respiratory protection.
	P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P3	IF IN EYES: Rinse cautiously with water for several minutes.
	38	Remove contact lenses, if present and easy to do so. Continue rinsing.
	P307+311	IF exposed, call a POISON CENTER or doctor/physician.
	P308+313	IF exposed or concerned: Get medical advice/attention.
	P314	Get medical advice/attention if you feel unwell.
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.

## 2.3 Other hazards

No Information

## Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

P363

## 3. Composition/Information On Ingredients

## 3.2 Mixtures

## **Hazardous Ingredients**

CAS-No.	Chemical Name	<u>%</u>
14808-60-7	quartz (silicon dioxide)	25-50
1305-62-0	calcium hydroxide	10-25
65997-15-1	portland cement	10-25

Wash contaminated clothing before reuse.

CAS-No.	GHS Symbols	GHS Hazard Statements	M-Factors
14808-60-7	GHS07-GHS08	H335-350-370	0
1305-62-0	GHS05-GHS07	H314-335	0
65997-15-1	GHS05-GHS07	H315-317-318-335	0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

## 4. First-aid Measures

#### 4.1 **Description of First Aid Measures**

**GENERAL NOTES:** No Information

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off with soap and plenty of water.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses. If eye irritation persists, consult a specialist.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### Most important symptoms and effects, both acute and delayed

Harmful by inhalation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## 5. Fire-fighting Measures

#### 5.1 **Extinguishing Media:**

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture

No Information

#### Advice for firefighters

None known. The product itself does not burn. In the event of fire, wear self-contained breathing apparatus. Water sprayDry powderAlcohol-resistant foamCarbon dioxide (CO2)High volume water jet. None.

## Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures 6.1

Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment.

#### 6.2 **Environmental precautions**

No Information

#### 6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. After cleaning, flush away traces with water.

#### Reference to other sections 6.4

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

## 7. Handling and Storage

## 7.1 Precautions for safe handling

**INSTRUCTIONS FOR SAFE HANDLING:** Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Avoid dust formation. Protect from moisture.

**PROTECTION AND HYGIENE MEASURES:** Wash hands before breaks and at the end of workday. Do not breathe dust. When using, do not eat, drink or smoke.

## 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** No Information

STORAGE CONDITIONS: Keep tightly closed in a dry and cool place.

### 7.3 Specific end use(s)

No specific advice for end use available.

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (US)

<u>Name</u>	CAS-No.	<u>OSHAPEL</u>	ACGIH TLV
quartz (silicon dioxide)	14808-60-7	50 μg/m3	0.025 mg/m3
calcium hydroxide	1305-62-0	5. MG/M3	5. MG/M3
portland cement	65997-15-1	10.0 MG/M3	10.0 MG/M3

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

### 8.2 Exposure controls

**Personal Protection** 

**RESPIRATORY PROTECTION:** Effective dust mask. **EYE PROTECTION:** Safety glasses with side-shields.

HAND PROTECTION: Protective gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

**OTHER PROTECTIVE EQUIPMENT:** No Information

ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Granules / powder mix

Physical State Solid
Odor None

Odor threshold Not determined

**pH** 11- 14

Melting point / freezing point (°C)

Not determined

Boiling point/range (°C)

N.D. - N.D.

Flash Point, (°F / °C) N/A
Evaporation rate N/A

Flammability (solid, gas) Not determined

Upper/lower flammability or explosive 999 - 0

limits

Vapour Pressure N/A
Vapour density N/A

Relative density Not determined

Solubility in / Miscibility with water Slight

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Not determined

Decomposition temperature (°C)

Not determined

Viscosity N/A
Explosive properties N/A
Oxidising properties N/A

9.2 Other information

VOC Content g/l:

Density (lbs./gal) Not Applicable

## 10. Stability and Reactivity

## 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

## 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

## 10.4 Conditions to avoid

No Information

## 10.5 Incompatible materials

Do not store near acids. Strong oxidizing agents.

## 10.6 Hazardous decomposition products

No hazardous decomposition products are known. Hydrogen fluoride

## 11. Toxicological Information

## 11.1 Information on toxicological effects

**Acute Toxicity:** 

Oral LD50: No information Inhalation LC50: No information

Irritation: Cement and hydrated lime powder, especially in a water mix, may cause irritant contact

dermatitis and/or burns.

Corrosivity: No information available.

**Sensitization:** No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

**Toxicity for reproduction:** No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

<u>CAS-No.</u> <u>Chemical Name</u> <u>Oral LD50</u> <u>Dermal LD50</u> <u>Vapor LC50</u>

1305-62-0 calcium hydroxide 7340 mg/kr, oral, rat

## **Additional Information:**

This product may contain Quartz (silicon dioxide), which is listed by IARC as a known carcinogenic to humans (Group 1). This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

## 12. Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information

No information

No information

**12.2** Persistence and degradability: Mostly non-biodegradable. The hydrated lime will react with atmospheric and

dissolved carbon dioxide to form calcium carbonate (e.g. chalk).

**12.3 Bioaccumulative potential:** Not applicable.

**12.4 Mobility in soil:** The product is not volatile and insoluble in water, will accumulate in the ground.

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

## 12.6 Other adverse effects:

The addition of cement and hydrated lime to water will raise pH and may therefore be toxic to aquatic life in some circumstances.

CAS-No.	Chemical Name	EC50 48hr	IC50 72hr	<u>LC50 96hr</u>
14808-60-7	quartz (silicon dioxide)	No information	No information	
1305-62-0	calcium hydroxide	No information	No information	
65997-15-1	portland cement	No information	No information	

## 13. Disposal Considerations

WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Transport Information

14.2 UN proper shipping name Not regulated for transport according to DOT, ADR/RID, IMDG and

IATA regulations

Not applicable **Technical name** 

14.3 Transport hazard class(es) N/A

Subsidiary shipping hazard Not applicable 14.4 Packing group Not applicable Not applicable 14.5 Environmental hazards 14.6 Special precautions for user Not applicable EmS-No.: Not applicable

Transport in bulk according to Annex II 14.7 of MARPOL 73/78 and the IBC code

Not applicable

## 15. Regulatory Information

Safety, health and environmental regulations/legislation for the substance or mixture:

## U.S. Federal Regulations: As follows -

## **CERCLA - Sara Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Carcinogenicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Specific target organ toxicity (single or repeated exposure)

#### Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

## **Toxic Substances Control Act:**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

#### U.S. Clean Air Act:

EPA Coating Category: Not applicable

EPA VOC Content Limit (g/l):

Product VOC Content (g/l)

Thinning Recommendations:

N/A

Application Recommendations:

N/A

## U.S. State Regulations: As follows -

## New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

<u>Chemical Name</u> <u>CAS-No.</u>

No Chemical Name Found

## Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

<u>Chemical Name</u> <u>CAS-No.</u>

No Chemical Name Found

## California Proposition 65:

WARNING: Cancer - www.P65Warnings.ca.gov

## International Regulations: As follows -

## \* Canadian DSL:

All chemical ingredients included on inventory or exempt.

## 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## 16. Other Information

## Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

H350 May cause cancer.

H370 Causes damage to organs.

#### Reasons for revision

Substance and/or Product Properties Changed in Section(s):

02 - Hazard Identification

15 - Regulatory Information

Revision Statement(s) Changed

This is a new Safety Data Sheet (SDS).

List of References:

<sup>\*</sup> As per the federal EPA definition for coating categories in 40 CFR 59.401.

<sup>\*\*</sup> Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

#### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical
vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container RTI Respiratory Tract Irritation

NE Narcotic Effects

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.