

Safety Data Sheet

prepared to UN GHS Revision 3

1. Identification of the Substance/Mixture and the Company/Undertaking

1.1 1.2	Product Identifier Product Name: Relevant identified uses of the substance or mixture and uses advised against	200-PUGLOSS-B-1GAL Flowseal PU Gloss- Hardener B Hardener for 2 components coatings	Revision Date: Supercedes Date: Industrial use.	05/23/2018 04/18/2018		
1.3	3 Details of the supplier of the safety data sheet					
	Manufacturer:	Flowcrete North America, Inc. 616 Spring Hill Drive, Suite 100 Spring, TX 77386 americas@flowcrete.com www.flowcreteamericas.com Tel: (936) 539-6700 Fax: (936) 539-6701				
	Datasheet Produced by:	Mims, Robert - americas@flowcrete.c	com			
1.4	Emergency telephone number:	CHEMTREC 1-800-424-9300 (Inside CHEMTREC +1 703 5273887 (Outsid				

2. Hazard Identification

2.1 Classification of the substance or mixture

Acute Toxicity, Inhalation, category 2 Flammable Liquid, category 2 Respiratory Sensitizer, category 1 STOT, single exposure, category 3, NE STOT, single exposure, category 3, RTI Skin Sensitizer, category 1

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

n-butyl acetate, Hexamethylene diisocyanate, homopolymer of hdi

HAZARD STATEMENTS

Flammable Liquid, category 2 Skin Sensitizer, category 1 Acute Toxicity, Inhalation, category 2 Respiratory Sensitizer, category 1 STOT, single exposure, category 3, RTI STOT, single exposure, category 3, NE PRECAUTION PHRASES	H225 H317 H330-2 H334 H335 H336	Highly flammable liquid and vapour. May cause an allergic skin reaction. Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness.
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P235	Keep cool.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P284	Wear respiratory protection.
	P285	In case of inadequate ventilation wear respiratory protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
	P341	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P342+311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
	P403+233	Store in a well-ventilated place. Keep container tightly closed.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous Ingredients

28182-81-2	homopolymer of hdi
123-86-4	n-butyl acetate



0.1-1.0

822-06-0 Hexamethylene diisocyanate

CAS-No.	GHS Symbols	GHS Hazard Statements	M-Factors
28182-81-2	GHS07	H317-332-335	0
123-86-4	GHS02-GHS06	H225-330-336	0
822-06-0	GHS05-GHS06-GHS08	H302-311-314-317-330-334-335	0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

AFTER INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes and respiratory system.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

Heating or fire can release toxic gas.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. ABC powder. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Danger! - water reactive substance. Reacts with water to release toxic gas. May be harmful or fatal if inhaled.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. Keep the container open.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further

information.

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is being used.

PROTECTION AND HYGIENE MEASURES: Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Keep from any possible contact with water.

STORAGE CONDITIONS: Store in original container. Keep container tightly closed in a dry and well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

7.3 Specific end use(s)

No specific advice for end use available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(US)

Name	CAS-No.	<u>OSHAPEL</u>	ACGIH TLV
homopolymer of hdi	28182-81-2		
n-butyl acetate	123-86-4	150.0 PPM	150.0 PPM
Hexamethylene diisocyanate	822-06-0		.005 PPM

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with a vapor filter.

EYE PROTECTION: Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles.

HAND PROTECTION: Impervious gloves. Nitrile rubber. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

9. Physical and Chemical Properties

9.1	Information on basic physical and chemical properties Appearance:	Clear or Pigmented viscous
	Physical State	Liquid
	Odor	Solvent
	Odor threshold	Not determined
	рН	Non-aqueous
	Melting point / freezing point (°C)	Not determined

	Boiling point/range (°C)	126 - N.D.
	Flash Point, (°F / °C)	35
	Evaporation rate	1 (for solvent)
	Flammability (solid, gas)	Not determined
	Upper/lower flammability or explosive limits	1 - 7
	Vapour Pressure	3.7 mmHg (PMA) @ 20C
	Vapour density	>1
	Relative density	Not determined
	Solubility in / Miscibility with water	Insoluble
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Viscosity	Not determined
	Explosive properties	Not determined
	Oxidising properties	Not determined
9.2	Other information	
	VOC Content g/l:	250
	Density (Ibs./gal)	1.00

10. Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Container can be pressurized by carbon dioxide due to reaction with humid air and/or water. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Keep from any possible contact with water.

10.5 Incompatible materials

Reacts violently in contact with acids, amines, driers, polymerisation accelerators and easily oxidized materials. Contact with water or moist air liberates irritating gas.

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity: Oral LD50: Inhalation LC50:	4500 mg/kg, oral (rat) No information
Irritation:	No information available.
Corrosivity:	No information available.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
28182-81-2	homopolymer of hdi	5000 mg/kg, oral, rat		18500 mg/m3/1H inhalation, rat
123-86-4	n-butyl acetate	10760 mg/kg, rat, oral		23.4 mg/l/4/h (rat)
822-06-0	Hexamethylene diisocyanate	710 mg/kg, oral rat		230 ppm / 4 hrs

Additional Information:

assessment:

Persons allergic to isocyanates, and particularly those suffering from asthma or other respiratory conditions, should not work with isocyanates.

12. Ecological Information		
2.1 Toxicity:		
EC50 48hr (Daphnia):	No information	
IC50 72hr (Algae):	No information	
LC50 96hr (fish):	No information	
2.2 Persistence and degradability:	No information	
2.3 Bioaccumulative potential:	No information	
2.4 Mobility in soil:	No information	
2.5 Results of PBT and vPvB	The product does not meet the criteria for PBT/VPvB in accordance with Annex $ ho$	

12.6 Other adverse effects:

No information	
----------------	--

CAS-No.	Chemical Name	<u>EC50 48hr</u>	<u>IC50 72hr</u>	LC50 96hr
28182-81-2	homopolymer of hdi	No information	No information	
123-86-4	n-butyl acetate	No information	No information	
822-06-0	Hexamethylene diisocyanate	No information	No information	

13. Disposal Considerations

13.1 WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14.	Transport Information	
14.1	UN number	UN1866
14.2	UN proper shipping name	RESIN SOLUTION
	Technical name	Not applicable
14.3	Transport hazard class(es)	3
	Subsidiary shipping hazard	N/A
14.4	Packing group	PG III
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	Not applicable
	EmS-No.:	F-E, <u>S-E</u>
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Not applicable

15. Regulatory Information

^{15.1} Safety, health and environmental regulations/legislation for the substance or mixture:

U.S. Federal Regulations: As follows -

CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Flammable (gases, aerosols, liquids, or solids), Acute Toxicity (any route of exposure), Respiratory or Skin Sensitization, Specific target organ toxicity (single or repeated exposure)

Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

<u>Chemical Name</u>	<u>CAS-No.</u>
n-butyl acetate	123-86-4
Hexamethylene diisocyanate	822-06-0
Toxic Substances Control Act:	

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

U.S. Clean Air Act:

EPA Coating Category:	Floor coatings
EPA VOC Content Limit (g/l):	400
Product VOC Content (g/l)	250
Thinning Recommendations:	None
Application Recommendations:	For professional use only.

* As per the federal EPA definition for coating categories in 40 CFR 59.401.

** Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

No NJ Right-To-Know components exist in this product.

Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

No PA Right-To-Know components exist in this product. **California Proposition 65:**

No Proposition 65 Chemicals exist in this product.

International Regulations: As follows -

* Canadian DSL:

All chemical ingredients included on inventory or exempt.

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Reasons for revision

Substance and/or Product Properties Changed in Section(s):
 02 - Hazard Identification
Revision Statement(s) Changed

This is a new Safety Data Sheet (SDS).

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830; European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation	
EC	European Commission	
EU	European Union	
US	United States	
CAS	Chemical Abstract Service	
EINECS	European Inventory of Existing Chemical Substances	
REACH	Registration, Evaluation, Authorization of Chemicals Regulation	
GHS	Globally Harmonized System of Classification and Labeling of Chemicals	
LTEL	Long term exposure limit	
STEL	Short term exposure limit	
OEL	Occupational exposure limit	
ppm	Parts per million	
mg/m3	Milligrams per cubic meter	
TLV	Threshold Limit Value	
ACGIH	American Conference of Governmental Industrial Hygienists	
OSHA	Occupational Safety & Health Administration	
PEL	Permissible Exposure Limits	
VOC	Volatile organic compounds	
g/l	Grams per liter	
mg/kg	Milligrams per kilogram	
N/A	Not applicable	
LD50	Lethal dose at 50%	
LC50	Lethal concentration at 50%	
EC50	Half maximal effective concentration	
IC50	Half maximal inhibitory concentration	
PBT	Persistent bioaccumulative toxic chemical	
vPvB	Very persistent and very bioaccumulative	
EEC	European Economic Community	
ADR	International Transport of Dangerous Goods by Road	
RID	International Transport of Dangerous Goods by Rail	
UN	United Nations	
IMDG	International Maritime Dangerous Goods Code	
IATA	International Air Transport Association	
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as	
modified by the Pr		
IBC	International Bulk Container	
RTI	Respiratory Tract Irritation	
NE	Narcotic Effects	

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the

product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.