

Revision Date: 05/13/2019

# SAFETY DATA SHEET

# 1. Identification

Material name: ISOCRETE 1500P-50# BAG

Material: 407160P 50

Recommended use and restriction on use

Recommended use: Cement, Portland, chemicals

Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information:

Key Resin Company 4050 Clough Woods Dr. Batavia, OH 45103

US

**Telephone:** 513-943-4225

Emergency telephone number: 1-800-424-9300 (US)

# 2. Hazard(s) identification

#### **Hazard Classification**

## **Health Hazards**

Acute toxicity (Inhalation - dust and Category 4

mist)

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 1
Skin sensitizer Category 1
Carcinogenicity Category 1A
Specific Target Organ Toxicity - Category 3<sup>1</sup>

Single Exposure

Specific Target Organ Toxicity - Category 12

Repeated Exposure

## **Target Organs**

1. Respiratory tract irritation.

2. Lung

## **Unknown toxicity - Health**

Acute toxicity, oral 78.4 %
Acute toxicity, dermal 86.49 %
Acute toxicity, inhalation, vapor 100 %
Acute toxicity, inhalation, dust 86.95 %

or mist

#### **Label Elements**



Revision Date: 05/13/2019

# **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Harmful if inhaled.

Causes skin irritation.

Causes serious eye damage. May cause an allergic skin reaction.

May cause cancer.

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements

**Prevention:** Use only outdoors or in a well-ventilated area. Wash thoroughly after

handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not eat, drink or smoke when using this product.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Wash contaminated clothing before

reuse.

**Storage:** Store locked up. Store in a well-ventilated place. Keep container tightly

closed.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical Identity CAS numbe | Content in percent (%)* |
|-----------------------------|-------------------------|
|-----------------------------|-------------------------|



Revision Date: 05/13/2019

| Crystalline Silica (Quartz)/<br>Silica Sand | 14808-60-7   | 20 - <50% |
|---|--------------|-----------|
| Portland cement                             | 65997-15-1   | 20 - <50% |
| Trade Secret                                | Trade Secret | 10 - <20% |
| Calcium salt                                | 7778-18-9    | 5 - <10%  |
| Calcium Carbonate (Limestone)               | 1317-65-3    | 1 - <5%   |
| Dolomite                                    | 16389-88-1   | 0.1 - <1% |

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

# Description of necessary first-aid measures

**Inhalation:** Move to fresh air.

**Skin Contact:** Get medical attention. Destroy or thoroughly clean contaminated

shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic

skin reaction develops, get medical attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Call a physician or poison control

center immediately.

**Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Personal Protection for First-**

aid Responders:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

### Most important symptoms/effects, acute and delayed

**Symptoms:** Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping. Extreme irritation of eyes and mucous membranes, including burning and tearing. Respiratory tract irritation.

**Hazards:** No data available.

### Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

# 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

## Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.



Revision Date: 05/13/2019

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting procedures:

No data available.

**Special protective equipment** 

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

## 6. Accidental release measures

Personal precautions, protective equipment and

protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Accidental release measures:

In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Methods and material for containment and cleaning

up:

Collect spillage in containers, seal securely and deliver for disposal

according to local regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

# 7. Handling and storage

### Handling

Technical measures (e.g. Local and general ventilation):

Mechanical ventilation or local exhaust ventilation may be required.

Observe good industrial hygiene practices. Observe occupational exposure

limits and minimize the risk of inhalation of dust.

**Safe handling advice:** Do not taste or swallow. Wash hands thoroughly after handling. Do not

handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes. Avoid contact with skin. Avoid contact with eyes, skin, and clothing. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust.

Contact avoidance measures: No data available.

**Hygiene measures:** Observe good industrial hygiene practices. Do not eat, drink or smoke

when using the product. Wash hands after handling. Wash hands before breaks and immediately after handling the product. Do not get in eyes. Wash contaminated clothing before reuse. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace.

Storage

Safe storage conditions: Store locked up.



Revision Date: 05/13/2019

Safe packaging materials: No data available.

# 8. Exposure controls/personal protection

# **Control Parameters**

| Chemical Identity   | Туре         | <b>Exposure Limit Values</b>                             | Source  |  |
|---|--------------|--|---|--|
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable<br>fraction. | TWA          | 0.025 mg/m3  | US. ACGIH Threshold Limit Values (2011)   |  |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust.        | TWA          | 0.05 mg/m3   | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)              |  |
|   | OSHA_AC<br>T | 0.025 mg/m3  | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)              |  |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust.        | PEL          | 0.05 mg/m3   | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (03 2016)            |  |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable.             | TWA          | 2.4 millions<br>of particles<br>per cubic foot<br>of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)  |  |
|   | TWA          | 0.1 mg/m3  | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)  |  |
| Portland cement - Respirable fraction.                                | TWA          | 1 mg/m3  | US. ACGIH Threshold Limit Values (2011)   |  |
| Portland cement - Total dust.   | PEL          | 15 mg/m3   | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006)            |  |
| Portland cement - Respirable fraction.                                | PEL          | 5 mg/m3  | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006)            |  |
| Portland cement   | TWA          | 50 millions of<br>particles per<br>cubic foot of<br>air  | US. OSHA Table Z-3 (29 CFR 1910.1000)<br>(2000)   |  |
| Calcium salt - Total  | REL          | 10 mg/m3   | US. NIOSH: Pocket Guide to Chemical Hazards (2010)  |  |
| Calcium salt - Respirable.  | REL          | 5 mg/m3  | US. NIOSH: Pocket Guide to Chemical Hazards (2010)  |  |
| Calcium salt - Total dust.  | TWA          | 15 mg/m3   | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)  |  |
| Calcium salt - Respirable fraction.                                   | TWA          | 5 mg/m3  | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)  |  |
| Calcium salt - Total dust.  | TWA          | 15 mg/m3   | US. Tennessee. OELs. Occupational Exposul<br>Limits, Table Z1A (06 2008)                  |  |
| Calcium salt - Respirable fraction.                                   | TWA          | 5 mg/m3  | US. Tennessee. OELs. Occupational Exposul<br>Limits, Table Z1A (06 2008)                  |  |
| Calcium salt  | AN ESL       | 5 µg/m3  | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014) |  |
|   | ST ESL       | 50 µg/m3   | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014) |  |
| Calcium salt - Inhalable<br>fraction.                                 | TWA          | 10 mg/m3   | US. ACGIH Threshold Limit Values (2011)   |  |
| Calcium salt - Total dust.  | PEL          | 15 mg/m3   | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006)            |  |
| Calcium salt - Respirable<br>fraction.                                | PEL          | 5 mg/m3  | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006)            |  |
| Calcium Carbonate<br>(Limestone) - Total dust.                        | PEL          | 15 mg/m3   | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006)            |  |
| Calcium Carbonate<br>(Limestone) - Respirable<br>fraction.            | PEL          | 5 mg/m3  | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006)            |  |
| Dolomite - Inhalable particles.                                       | TWA          | 10 mg/m3   | US. ACGIH Threshold Limit Values (03 2016)  |  |
| Dolomite - Respirable particles.                                      | TWA          | 3 mg/m3  | US. ACGIH Threshold Limit Values (03 2016)  |  |



Revision Date: 05/13/2019

| Dolomite - Respirable fraction. | TWA | 15 millions of<br>particles per<br>cubic foot of<br>air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
|---------------------------------|-----|---|---|
| Dolomite - Total dust.          | TWA | 50 millions of<br>particles per<br>cubic foot of<br>air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
|                                 | TWA | 15 mg/m3  | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
| Dolomite - Respirable fraction. | TWA | 5 mg/m3   | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |

| Chemical name   | Туре | Exposure Limit Values | Source  |
|---|------|-----------------------|---|
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable<br>fraction. | TWA  | 0.025 mg/m3           | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable<br>fraction. | TWA  | 0.10 mg/m3            | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust.        | TWA  | 0.1 mg/m3             | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Portland cement - Total dust.   | TWA  | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Portland cement - Respirable dust.                                    | TWA  | 5 mg/m3               | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Portland cement -<br>Respirable.                                      | TWA  | 1 mg/m3               | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2017) |
| Portland cement - Respirable fraction.                                | TWA  | 1 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (08 2017)  |
| Calcium salt  | TWA  | 10 mg/m3              | Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)   |
| Calcium salt - Inhalable  | TWA  | 10 mg/m3              | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium salt - Inhalable fraction.                                    | TWA  | 10 mg/m3              | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Calcium salt - Total dust.  | TWA  | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Calcium salt - Respirable dust.                                       | TWA  | 5 mg/m3               | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Calcium Carbonate<br>(Limestone) - Total dust.                        | STEL | 20 mg/m3              | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|   | TWA  | 10 mg/m3              | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |



Revision Date: 05/13/2019

| Calcium Carbonate<br>(Limestone) - Respirable<br>fraction.     | TWA  | 3 mg/m3   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|--|------|-----------|---|
| Calcium Carbonate<br>(Limestone) - Total dust.                 | TWA  | 10 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Dolomite - Respirable fraction.                                | TWA  | 3 mg/m3   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
| Dolomite - Total dust.   | TWA  | 10 mg/m3  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
| Dolomite - Respirable fraction.                                | TWA  | 3 mg/m3   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Dolomite - Inhalable fraction.                                 | TWA  | 10 mg/m3  | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Dolomite - Total dust.   | TWA  | 10 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Glycol ether solvent - Inhalable fraction and vapor.           | TWA  | 10 ppm    | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Amorphous silica - Total                                       | TWA  | 4 mg/m3   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Amorphous silica -<br>Respirable.                              | TWA  | 1.5 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Amorphous silica -<br>Respirable dust.                         | TWA  | 6 mg/m3   | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Calcium silicate - Total dust.                                 | TWA  | 10 mg/m3  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium silicate - Respirable fraction.                        | TWA  | 3 mg/m3   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium silicate - Total dust.                                 | TWA  | 10 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Calcium silicate   | TWA  | 10 mg/m3  | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (08 2017)  |
| Hydrotreated heavy naphthenic distillate - Mist.               | TWA  | 0.2 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
|  | TWA  | 1 mg/m3   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
| Hydrotreated heavy naphthenic distillate - Inhalable fraction. | TWA  | 5 mg/m3   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
|  | TWA  | 5 mg/m3   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Hydrotreated heavy naphthenic distillate - Mist.               | STEL | 10 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
|  | TWA  | 5 mg/m3   | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |



Revision Date: 05/13/2019

| Hydrotreated light naphthenic distillate - Mist.               | TWA  |        | 0.2 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|--|------|--------|-----------|---|
|  | TWA  |        | 1 mg/m3   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
| Hydrotreated light naphthenic distillate - Inhalable fraction. | TWA  |        | 5 mg/m3   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
|  | TWA  |        | 5 mg/m3   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Hydrotreated light naphthenic distillate - Mist.               | STEL |        | 10 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
|  | TWA  |        | 5 mg/m3   | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Vinyl acetate  | TWA  | 10 ppm |           | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|  | STEL | 15 ppm |           | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Vinyl acetate  | TWA  | 10 ppm |           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
|  | STEL | 15 ppm |           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Vinyl acetate  | STEL | 15 ppm | 53 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
|  | TWA  | 10 ppm | 35 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |

# Appropriate Engineering Controls

Mechanical ventilation or local exhaust ventilation may be required.

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

## Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to

maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

**Eye/face protection:** Wear a full-face respirator, if needed. Wear safety glasses with side shields

(or goggles) and a face shield.

**Skin Protection** 

**Hand Protection:** Use suitable protective gloves if risk of skin contact.

**Other:** Wear suitable protective clothing. Wear chemical-resistant gloves,

footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific

information.



Revision Date: 05/13/2019

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Observe good industrial hygiene practices. Do not eat, drink or smoke

when using the product. Wash hands after handling. Wash hands before breaks and immediately after handling the product. Do not get in eyes. Wash contaminated clothing before reuse. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

**Appearance** 

Physical state: solid
Form: Powder
Color: Gray
Odor: Odorless

Odor threshold:

pH:

No data available.

Flammability (solid, gas): No Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

No data available.

Vapor pressure:

No data available.

No data available.

No data available.

Relative density: 1.76

Solubility(ies)

Solubility in water: Miscible with water.

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

## 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.



Revision Date: 05/13/2019

Possibility of hazardous

reactions:

No data available.

Conditions to avoid:

Avoid heat or contamination.

**Incompatible Materials:** 

No data available.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation:

In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

**Skin Contact:** 

May be harmful in contact with skin. Causes skin irritation. May cause an

allergic skin reaction.

Eye contact:

Causes serious eye damage.

Ingestion:

Harmful if swallowed.

# Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:

No data available.

**Skin Contact:** 

No data available.

Eye contact:

No data available.

Ingestion:

No data available.

## Information on toxicological effects

## Acute toxicity (list all possible routes of exposure)

Oral

**Product:** 

ATEmix: 4,272.92 mg/kg

**Dermal** 

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s):

**Trade Secret** 

LD 50 (Rat): > 2,000 mg/kg

Inhalation

Product:

ATEmix: 1.91 mg/l

Repeated dose toxicity

Product:

No data available.



Revision Date: 05/13/2019

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

Trade Secret in vivo (Rabbit): Not irritant

Calcium salt in vivo (Rabbit): Not irritant

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Calcium salt Rabbit, 72 hrs: Not irritating

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Crystalline Silica

(Quartz)/ Silica

Sand

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

Crystalline Silica Known To Be Human Carcinogen.

Overall evaluation: Carcinogenic to humans.

(Quartz)/ Silica

Sand

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

Crystalline Silica

(Quartz)/ Silica

Sand

Cancer

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.



Revision Date: 05/13/2019

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** 

No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

Product:

No data available.

**Target Organs** 

Specific Target Organ Toxicity - Single Exposure: Respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure: Lung

**Aspiration Hazard** 

**Product:** 

No data available.

Other effects:

No data available.

# 12. Ecological information

## **Ecotoxicity:**

Acute hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):

Calcium salt

LC 50 (Fathead minnow (Pimephales promelas), 96 h): > 1,970 mg/l

Mortality

**Aquatic Invertebrates** 

**Product:** 

No data available.

Chronic hazards to the aquatic environment:

Fish

**Product:** 

No data available.

**Aquatic Invertebrates** 

**Product:** 

No data available.

**Toxicity to Aquatic Plants** 

**Product:** 

No data available.

Persistence and Degradability

Biodegradation

**Product:** 

No data available.



Revision Date: 05/13/2019

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Mobility in soil: No data available.

Other adverse effects: No data available.

13. Disposal considerations

**Disposal methods:** Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

# 14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated

# 15. Regulatory information

## **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.



Revision Date: 05/13/2019

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Chemical IdentityOSHA hazard(s)Crystalline Silicakidney effects(Quartz)/ Silica Sandlung effects

immune system effects

Cancer

#### **CERCLA Hazardous Substance List (40 CFR 302.4):**

<u>Chemical Identity</u> <u>Reportable quantity</u>

Vinyl acetate 5000 lbs.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard Acute toxicity (any route or exposure)

Skin Corrosion or Irritation

Serious eye damage or eye irritation Respiratory or Skin Sensitization

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

# **SARA 302 Extremely Hazardous Substance**

**Reportable** 

Chemical Identity quantity Threshold Planning Quantity

Vinyl acetate 5000 lbs. 1000 lbs.

## **SARA 304 Emergency Release Notification**

<u>Chemical Identity</u> <u>Reportable quantity</u>

Glycol ether solvent

Vinyl acetate 5000 lbs.

# **SARA 311/312 Hazardous Chemical**

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

Vinyl acetate 500lbs
Crystalline Silica (Quartz)/ 10000 lbs

Silica Sand

Portland cement 10000 lbs
Trade Secret 10000 lbs
Calcium salt 10000 lbs
Calcium Carbonate 10000 lbs

(Limestone)

Dolomite 10000 lbs

# SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Chemical Identity Reportable quantity

Vinyl acetate lbs

## Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.



Revision Date: 05/13/2019

## **US State Regulations**

## **US. California Proposition 65**



#### **WARNING**

Cancer and Reproductive Harm - www.P65Warnings.ca.gov

## US. New Jersey Worker and Community Right-to-Know Act

# **Chemical Identity**

Crystalline Silica (Quartz)/ Silica Sand Portland cement Calcium salt Calcium Carbonate (Limestone)

#### US. Massachusetts RTK - Substance List

# **Chemical Identity**

Crystalline Silica (Quartz)/ Silica Sand Portland cement Calcium salt Calcium Carbonate (Limestone) Hydrotreated light naphthenic distillate Vinyl acetate

# US. Pennsylvania RTK - Hazardous Substances

#### **Chemical Identity**

Crystalline Silica (Quartz)/ Silica Sand Portland cement Calcium salt Calcium Carbonate (Limestone)

## **US. Rhode Island RTK**

# **Chemical Identity**

Crystalline Silica (Quartz)/ Silica Sand Portland cement Calcium Carbonate (Limestone)

# International regulations

## **Montreal protocol**

Not applicable

# Stockholm convention

Not applicable

## **Rotterdam convention**

Not applicable

# **Kyoto protocol**

Not applicable

VOC:



Revision Date: 05/13/2019

Regulatory VOC (less water and exempt solvent)

: 1 g/l

VOC Method 310

: 0.08 %



Revision Date: 05/13/2019

**Inventory Status:** 

Australia AICS: One or more components in this product are

not listed on or exempt from the Inventory.

Canada DSL Inventory List: All components in this product are listed on or

exempt from the Inventory.

EINECS, ELINCS or NLP: One or more components in this product are

not listed on or exempt from the Inventory.

Japan (ENCS) List: One or more components in this product are

not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances:

One or more components in this product are

not listed on or exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this product are

not listed on or exempt from the Inventory.

Canada NDSL Inventory: One or more components in this product are

not listed on or exempt from the Inventory.

Philippines PICCS: One or more components in this product are

not listed on or exempt from the Inventory.

US TSCA Inventory:

All components in this product are listed on or

exempt from the Inventory.

New Zealand Inventory of Chemicals:

One or more components in this product are

not listed on or exempt from the Inventory.

Japan ISHL Listing: One or more components in this product are

not listed on or exempt from the Inventory.

Japan Pharmacopoeia Listing:

One or more components in this product are

not listed on or exempt from the Inventory.

Mexico INSQ: One or more components in this product are

not listed on or exempt from the Inventory.

Ontario Inventory: One or more components in this product are

not listed on or exempt from the Inventory.

Taiwan Chemical Substance Inventory:

One or more components in this product are

not listed on or exempt from the Inventory.



Revision Date: 05/13/2019

# 16.Other information, including date of preparation or last revision

**Revision Date:** 05/13/2019

Version #: 2.0

Further Information: No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.